

2013 HINIKER SNOWPLOW SELECTION GUIDE																
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight	
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'
Ram 2500 4x4 ST Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.														
Regular Cab	140.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab	149.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
	169.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		5.7L CNG	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
	6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

2013 HINIKER SNOWPLOW SELECTION GUIDE																
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight	
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'
Ram 2500 4x4 SLT Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.														
Regular Cab	140.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
	W.B.	6.7L Diesel	5500	5500	5500	5500	5500	5500(AT)				5500	5500			
Crew Cab	149.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
	W.B.	6.7L Diesel	5500	5500	5500	5500	5500									
	169.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		6.7L CNG	5200	5200	5200	5200	5200					5200				
Mega Cab	160.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	
	W.B.	6.7L Diesel	5500	5500												
(AT) Need Automatic Transmission																

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders




TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

2013 HINIKER SNOWPLOW SELECTION GUIDE																
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight	
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'
Ram 2500 4x4 Laramie Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.														
Crew Cab	149.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		6.7L Diesel	5500	5500	5500	5500	5500									
Mega Cab	169.5" W.B.	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
		6.7L Diesel	5500	5500												

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

2013 HINIKER SNOWPLOW SELECTION GUIDE																
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight	
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'
Ram 2500 4x4 Longhorn Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.														
Crew Cab	149.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
	W.B.	6.7L Diesel	5500	5500	5500	5500	5500									
	169.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200
	W.B.	6.7L Diesel	5500	5500												
Mega Cab	160.5"	5.7L Gas	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200	5200		
	W.B.	6.7L Diesel	5500	5500												

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER