

2013 HINIKER SNOWPLOW SELECTION GUIDE																	
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																	
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight		
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'	
Ram 3500 4x4 ST Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.															
Reg Cab	140.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Reg Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Crew Cab SRW	149.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Crew Cab SRW	169.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders




TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

2013 HINIKER SNOWPLOW SELECTION GUIDE																	
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																	
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight		
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'	
Ram 3500 4x4 ST Model Chassis Cab Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.															
Chassis Cab DRW	143.5" & 167.5"	5.7L Gas					5200		5200		5200		5200		5200	5200	5200
	172." W.B.	6.7L Diesel					5500		5500		5500		5500		5500	5500	5500

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

## 2013 HINIKER SNOWPLOW SELECTION GUIDE

### MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR)<sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL

		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight		
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'	
Ram 2013																	
Ram 3500 4x4 SLT Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.															
Reg Cab	140.6" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Reg Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Mega Cab	160.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Mega Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
		6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab SRW	149.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
	169.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
		6.7L Diesel	6000	6000	6000	6000	6000										
	169.5" W.B.	6.7L Diesel	6000	6000	6000	6000	6000										

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## ***A Full Line of High Performance Snowplows and Spreaders***



**TORSION-TRIP  
V-PLOW**



**TRIP-EDGE  
SCOOP PLOWS**



**FULL-TRIP  
MID-SIZE PLOWS**



**TRIP-EDGE  
C-PLOWS**



**TRIP-EDGE  
CONVENTIONAL PLOWS**



**SKID-STEER  
SCOOP PLOW**



**SAND & SALT  
SPREADERS**



**AUGER  
SPREADER**

2013 HINIKER SNOWPLOW SELECTION GUIDE																	
MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR) <sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL																	
Ram 2013		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight		
		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'	
Ram 3500 4x4 Laramie Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.															
Mega Cab	160.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Mega Cab DRW	149.5" W.B.	6.7L Diesel					6000		6000		6000		6000		6000(AT)		
		6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab	169.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
		6.7L Diesel	6000	6000	6000	6000	6000										
Crew Cab DRW	169.5" W.B.	6.7L Diesel					6000										
		6.7L Diesel	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500

(AT) Automatic Transmission Required

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



TORSION-TRIP  
V-PLOW



TRIP-EDGE  
SCOOP PLOWS



FULL-TRIP  
MID-SIZE PLOWS



TRIP-EDGE  
C-PLOWS



TRIP-EDGE  
CONVENTIONAL PLOWS



SKID-STEER  
SCOOP PLOW



SAND & SALT  
SPREADERS



AUGER  
SPREADER

## 2013 HINIKER SNOWPLOW SELECTION GUIDE

### MINIMUM FRONT GROSS AXLE WEIGHT RATING (FGAWR)<sup>1</sup> & ELECTRICAL HEAD LIGHT ADAPTER REQUIRED BY MODEL

		Mid-Size Poly		Metal Straight			Poly Scoop		Poly C		Poly Straight		Poly V		Poly Straight		
Ram 2013		702 7'	752 7 1/2'	2753 7 1/2'	2803 8'	2853 8 1/2'	* 6801 8'	* 6901 9'	* 8802 8'	* 8902 9'	* 7802 8'	* 7902 9'	* 9851 * 9860 8 1/2'	* 9951 * 9960 9 1/2'	* 10331 10'	* 10332 10'	
Ram 3500 4x4 Longhorn Model Pickup Mount Kit p/n 25013286 * 25013278 QH2		Head light adapter p/n 38813068 for H13/9008 bulb(s). Head light adapter p/n 38813046 for Projector Head Lights.															
Mega Cab	160.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Mega Cab DRW		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Crew Cab	149.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Crew Cab	169.5" W.B.	5.7L Gas	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500	5500
Crew Cab		6.7L Diesel	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000

<sup>1</sup> The truck, attached equipment and ballast should not exceed the front axle or total vehicle rating.

Notes:

SRW=Single Rear Wheel

DRW=Dual Rear Wheel

WB=Wheel Base

\* Quick Hitch 2 Plows and Mounts

Ballast may be required for snowplow applications.

Ram recommends trucks be equipped with the optional snowplow prep package where available.

## A Full Line of High Performance Snowplows and Spreaders



**TORSION-TRIP  
V-PLOW**



**TRIP-EDGE  
SCOOP PLOWS**



**FULL-TRIP  
MID-SIZE PLOWS**



**TRIP-EDGE  
C-PLOWS**



**TRIP-EDGE  
CONVENTIONAL PLOWS**



**SKID-STEER  
SCOOP PLOW**



**SAND & SALT  
SPREADERS**



**AUGER  
SPREADER**